

## Lift-Salamander 600-2Z



▶ Salamander with 2 heating zones



▶ Cooking grid size  
✓ W 590 x D 320 mm



▶ With practical lift function  
✓ Clear height: 65 - 210 mm

### Description

Ideal starter model with the practical lift function. The Salamander stands out thanks to the simple operation of the two heating zones and the effective radiators.

### Features

• Heat source:	Radiant heaters
• Number of heating elements:	2
• Number of heating zones:	2
• Heating zones can be controlled separately:	Yes
• Height-adjustable heating element:	Yes
• Clear height:	65 - 210 mm
• Temperature range to:	400 °C
• Output control:	Stepless
	Continuous operation
• Size grid:	B 590 x D 320 mm
• Height-adjustable grid:	No
• Warm-keeping function:	No
• Automatic activation function:	No
• Manual time setting:	No
• Grease collection tank:	Yes
• Energy regulation:	Simmerstat
• Digital display:	No

▶ Continue on the next page

## Lift-Salamander 600-2Z

- Equipment connection: 2 NAC
- Control unit: Toggle
- Control lamp: Heat up  
Operational
- Properties: -
- Including: 1 grid
- Power load: 4 kW | 400 V | 50/60 Hz
- Material: Stainless steel
- Important information: -
- Size: W 600 x D 540 x H 530 mm
- Weight: 47.7 kg




## Lift-Salamander 600-2Z Add on Products

### Wall-mounting shelf 600x600mm, SS

CNS  
18/10

50 kg



- Size utility space: W 600 x D 600 mm
- Load-bearing capacity max.: 50 kg
- Material: CNS 18/10
- Important information: -
- Size: W 600 x D 600 x H 155 mm
- Weight: 5.4 kg

Code-No. 174600  
GTIN 4015613434988